



MATERIAL SAFETY DATA SHEET

SECTION 1 — MANUFACTURER'S NAME & ADDRESS

Product identifier: Albatross Powder Spot Remover

Product Number: 1061, 1062

Date Prepared: January 3, 2002

Date Revised: March 3, 2004

HMIS: H1 F3 R0 PB

NFPA: H1 F3 R0 P-

Level 3 Aerosol

Manufacturer's name and address: Refer to supplier

Supplier name and address:

ALBATROSS USA INC./EXPERT WORLDWIDE

36-41 36th Street

Long Island City, New York

United States

11106

718-392-6272

5439 San Fernando Road West

Los Angeles, California

United States

90039

818-543-5850

Emergency Telephone #: Chemtrec (Day or Night) 800-424-9300

(For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident)

This MSDS complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

IMPORTANT: Read this MSDS before handling and disposing of this product. Pass this information on to employees, customer, and users of this product.

SECTION 2 — HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

| Hazardous Components (Specific Chemical Identity) Recommended (Optional) | OSHA | ACGIH PEL-TWA | Other Limits Percentage TLV-TWA |
|------------------------------------------------------------------------------------------|---------------------|--------------------------|--------------------------------------------|
| Isopropanol (67-63-0) | 400 ppm | 400 ppm | NA |
| Synthetic Paraffinic Hydrocarbon (64742-48-9) | NE ppm | NE ppm | 400 ppm (Exxon) |
| Silicone Dioxide (63231-67-4) | 5 mg/m ³ | 5 mg/m ³ | NA |
| Isobutane (75-28-5) | NE ppm | NE ppm | 800 (Aeropress) |
| Propane (74-98-6) | 1000 ppm | NE ppm | 1000 ppm (NIOSH) |

SECTION 3 — PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point (°F) : (conc.) 97

Vapor Pressure @ 70°F: 65 psig

Specific Gravity (H₂O = 1): 0.635

Melting Point (°F) : NA

Vapor Density (Air = 1) : > 1**Evaporation Rate:** > 1**Solubility In Water:** Insoluble (Butyl Acetate = 1)**Appearance & Odor :** Cloudy liquid with mild alcohol odor**SECTION 4 — FIRE & EXPLOSION HAZARD DATA****Flash Point (°F) :** < 0, TCC**Flammability Limit:** LEL 1.5 UEL 11.6**Extinguishing Media:** Water fog, dry chemical, Carbon Dioxide**Special Firefighting Procedures:** Self-contained respiratory protection should be provided for fireman fighting in buildings or confined areas.**Unusual Fire & Explosion Hazards :** Aerosols are under pressure. Exposure in excess of 120°F may cause bursting of can.**SECTION 5 — REACTIVITY DATA****Stability:** Stable**Hazardous Polymerization:** Will not occur**Conditions to Avoid:** NA**Conditions to Avoid:** High temperatures**Incompatibility (Material to Avoid) :** Strong oxidizing agents and alkalies.**Hazardous Decomposition or Byproducts:** Burns to form CO₂, CO and possible incompletely decomposed materials.**SECTION 6 — HEALTH HAZARD DATA****Route (s) of Entry:** Inhalation? Yes Skin? Yes Ingestion? Yes**Health Hazards (Acute & Chronic) :** Skin and eye irritant. Prolonged inhalation may cause central nervous system depression.**Carcinogenicity :** NTP? No IARC Monographs? No OSHA Regulated? No**Signs & Symptoms of Exposure :** Possible eye irritation with burning sensation. Prolonged and repeated contact with material may cause irritation. Overexposure may cause nausea, headache, dizziness.**Medical Conditions Generally Aggravated by Exposure :** None known.**Emergency & First Aid Procedures:** Flush eyes with water. Wash skin with soap and water. Remove patient to fresh air. Call a physician if necessary.**SECTION 7 — PRECAUTIONS FOR SAFE HANDLING & USE****Steps to be Taken in Case Material is Released or Spilled:** Avoid inhalation of concentrated vapors.
Absorb spilled material with appropriate absorbent.

Waste Disposal Method: Dispose of all waste in accordance with federal, state and local regulations.

Precautions to be Taken in Handling & Storage: Keep away from heat, sparks, open flame or direct sunshine.

Do not puncture or incinerate container.

Precautions: Intentional misuse by deliberately concentrating and inhaling vapour contents can be harmful of fatal.

SECTION 8 — CONTROL MEASURES

Respiratory Protection: Not necessary under normal use.

Ventilation: Local Exhaust: Yes Special: None
Mechanical (general) : None Other: None

Protective Gloves: Rubber gloves.

Eye Protection: Safety glasses or goggles or face shield.

Other Protective Clothing or Equipment: Plastic apron.

Work/Hygienic Practices: Wash thoroughly with soap and water after handle.

SECTION 9 — DOT SHIPPING INFORMATION

Proper Shipping Name : Consumer Commodity, Pressurized Aerosol Cans

Hazard Class: ORM-D

NOTICE:

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.